

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	223	370/259.ccls.	USPAT	OR	OFF	2009/03/05 12:29
S1	338	(SIP (session adj1 initiation)) with (enhanced different unlike uncommon) with (feature application attribute)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 08:26
S2	38	(SIP (session adj1 initiation)) near4 (enhanced different unlike uncommon) near2 (feature application attribute)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 08:26
S3	49	(SIP (session adj1 initiation)) and ((enhanced different unlike uncommon) near2 (feature application attribute) near2 (set group call))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 08:28
S4	58	((enhanc\$3 advanc\$3) with feature) same (SIP (session near initiation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 13:34
S5	2	ep-1179941-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 13:46

S6	4528	(server near application) with (client near application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 14:53
S7	6041	(server near application) with (client near application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 14:53
S8	119	S7 same (SIP (session near initiation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 14:53
S9	69	((incompatib\$5 different unlike "not supported" "not compatible") with feature) same (SIP (session near initiation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 15:29
S10	22	((incompatib\$5 different unlike "not supported" "not compatible") near3 feature) same (SIP (session near initiation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 15:33
S11	4	(session adj (initiation and termination and modification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:28

S12	1	(session adj modification) with ((call\$3 telephon\$3) adj feature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:31
S13	1	(session adj modification) same ((call\$3 telephon\$3) adj feature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:31
S14	2	(session adj modification) with feature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:31
S15	158	(compatib\$5 incompatib\$5 support\$3 unsupport\$3 alike unlike unlike different heterogeous conflict\$3 oppos\$3) with ((call\$3 telephon\$3 communication) adj (feature function)) with (first and second)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:38
S16	141	(compatib\$5 incompatib\$5 support\$3 unsupport\$3 alike unlike unlike different heterogeous conflict\$3) with ((call\$3 telephon\$3 communication) adj (feature function)) with (first and second)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:42
S17	4	low\$3 adj common adj feature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:55

S18	7626	first with different with second with feature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 12:43
S19	0	S18 same sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 12:44
S20	35	S18 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 12:44
S21	0	370/259,260,261,271,277,310,349,389,395.52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 11:50
S22	13024	370/259,260,261,271,277,310,349,389,395.52.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 11:50
S23	16518	709/203,209,227,228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 11:52

S24	10197	455/412.2,414.1,415,416,417,425,436,461.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 11:55
S25	39100	S22 or S23 or S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 11:56
S26	2470	S25 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 11:56
S27	8	S25 and ((incompatib\$5 different unlike "not supported" "not compatible") with feature) same (SIP (session near initiation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 11:56
S28	26	S25 and ((incompatib\$5 different unlike "not supported" "not compatible") with feature) same (SIP (session near initiation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 11:56
S29	13024	370/259,260,261,271,277,310,349,389,395.52.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 12:04

S30	16518	709/203,209,227,228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 12:04
S31	10197	455/412.2,414.1,415,416,417,425,436,461.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 12:04
S32	39100	S29 or S30 or S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 12:04
S33	1	S32 and ((incompatib\$5 different unlike "not supported" "not compatible") with feature with endpoint) same (SIP (session near initiation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:04
S34	3	S32 and ((incompatib\$5 different unlike "not supported" "not compatible") with feature with endpoint) and (SIP (session near initiation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:05
S35	122	(sip with ipv4) same (sip with ipv6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:07

S36	20	(sip with ipv4) same (sip with ipv6) same (convert\$3 conversion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:08
S37	8	((sip with ipv4) same (sip with ipv6) same (convert\$3 conversion)) and feature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:09
S38	39	S35 and (call\$3 near3 (transfer\$3 wait\$3 hold conferenc\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:12
S39	2027	telephon\$2 adj feature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:15
S40	66	S39 same sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:15
S41	855914	S40 compatib\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:15

S42	66	S40 samecompatib\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:15
S43	0	S40 same compatib\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:15
S44	0	S40 same compatib\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:15
S45	11	S40 same different	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:16
S46	327	(enhanc\$3 advanc\$3) same basic same ((call\$3 telephon\$2) near3 feature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:41
S47	9	S46 same sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:42

S48	3	"20030076815"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:47
S49	1	(implement\$3 allow\$3) with feature with (unavailab\$5 incompatibl\$5) with end\$point	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:55
S50	282	(implement\$3 allow\$3) with feature with (unavailab\$5 incompatibl\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:56
S51	8	S50 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:56
S52	563	(implement\$3 allow\$3 enabl\$3 approv\$3 authoriz\$3) with feature with (unavailab\$5 incompatibl\$5 unsupport\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:59
S53	22	S52 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:59

S54	7136	(implement\$3 allow\$3 enabl\$3 approv\$3 authoriz\$3) with feature with (end\$point subscriber terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:02
S55	118	S54 same sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:02
S56	356	(implement\$3 allow\$3 enabl\$3 approv\$3 authoriz\$3) with feature with (end\$point subscriber terminal) with (enhanc\$3 advanc\$3 upgrad\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:03
S57	6	S56 same sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:03
S58	7	(implement\$3 allow\$3 enabl\$3 approv\$3 authoriz\$3) with feature with (end\$point subscriber terminal) with (enhanc\$3 advanc\$3 upgrad\$3) with (unavailab\$5 incompatibl\$5 unsupport\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:06
S59	9	(implement\$3 allow\$3 enabl\$3 approv\$3 authoriz\$3) with feature with (end\$point subscriber terminal) with (enhanc\$3 advanc\$3 upgrad\$3) same (unavailab\$5 incompatibl\$5 unsupport\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:07

S60	9	((implement\$3 allow\$3 enabl\$3 approv\$3 authoriz\$3) with feature with (end\$point subscriber terminal) with (enhanc\$3 advanc\$3 upgrad\$3)) same (unavailab\$5 incompatibl\$5 unsupport\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:07
S61	12	((implement\$3 allow\$3 enabl\$3 approv\$3 authoriz\$3) with feature with (end\$point subscriber terminal)) same ((enhanc\$3 advanc\$3 upgrad\$3) with (unavailab\$5 incompatibl\$5 unsupport\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:09
S62	621	(implement\$3 allow\$3 enabl\$3 approv\$3 authoriz\$3 utilis\$3 utiliz\$3) with feature with (unavailab\$5 incompatibl\$5 unsupport\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:11
S63	3	S62 same sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:12
S64	23	S62 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:12
S65	44	(implement\$3 allow\$3 enabl\$3 approv\$3 authoriz\$3 utilis\$3 utiliz\$3) with feature with (unavailab\$5 incompatibl\$5 unsupport\$3) with (end\$point terminal subscrib\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:15

S66	39	(session adj modif\$7) with sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:19
S67	2	S66 same feature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:19
S68	0	unsupport\$3 with S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:21
S69	17	support\$3 with S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:21
S70	473	(session adj modif\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:22
S71	110	S70 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:22

S72	24	S70 with support\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:22
S73	63	((call\$3 telephon\$3) same sip).ti.	US-PGPUB; USPAT	OR	ON	2009/03/04 13:25
S74	237	end\$point with (unavailab\$5 incompatibl\$5 unsupport\$3 incapabl\$5)	US-PGPUB; USPAT	OR	ON	2009/03/04 13:27
S75	1	S74 same ((call\$3 telephon\$3) near2 feature)	US-PGPUB; USPAT	OR	ON	2009/03/04 13:28
S76	0	("first set of communication features").clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/05 10:54
S77	0	("not supported by the first user agent").clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/05 10:55
S78	6236317	(not supported by the first user agent).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/05 10:55
S79	0	("a first sip user agent located at a first end point").clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/05 10:56

S80	0	("a first sip user agent located at a first end point")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/05 10:57
S81	0	("a first sip user agent located at a first end point")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 10:57
S82	1	(sip same feature same first same second same enhanc\$3 same basic).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 10:59
S83	1	(basic adj call\$3 adj enhanc\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 11:00
S84	2	(basic adj call\$3 adj enhanc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 11:00
S85	44	(utiliz\$3 same enhanc\$3 same feature).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 11:00
S86	0	("first set of communication features").clm.	US-PGPUB; USPAT	OR	OFF	2009/03/05 11:08

S87	0	("not supported by the first user agent").clm.	US-PGPUB; USPAT	OR	OFF	2009/03/05 11:08
S88	0	("a first sip user agent located at a first end point").clm.	US-PGPUB; USPAT	OR	OFF	2009/03/05 11:09
S89	1	("basic sip communication feature set").clm.	US-PGPUB; USPAT	OR	OFF	2009/03/05 11:10
S90	1	("enhanced sip communication feature set").clm.	US-PGPUB; USPAT	OR	OFF	2009/03/05 11:10
S91	822	(one with communication with feature (unavailable unsupported) with end\$point).clm.	US-PGPUB; USPAT	OR	OFF	2009/03/05 11:12
S92	809	(one with communication with feature (unavailable unsupported) with end\$point with sip with (client near2 application) with (server near2 application) with (user adj agent)).clm.	US-PGPUB; USPAT	OR	OFF	2009/03/05 11:13
S93	0	(one with communication with feature with (unavailable unsupported) with end\$point with sip with (client near2 application) with (server near2 application) with (user adj agent)).clm.	US-PGPUB; USPAT	OR	OFF	2009/03/05 11:14
S94	13044	370/259,260,261,271,277,310,349,389,395.52.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/05 11:15
S95	16542	709/203,209,227,228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/05 11:15
S96	10216	455/412.2,414.1,415,416,417,425,436,461.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/05 11:15

S97	39163	S94 or S95 or S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/05 11:15
S98	0	((one with communication with feature with (unavailable unsupported) with end\$point with sip with (client near2 application) with (server near2 application) with (user adj agent)). clm.) and S97	US-PGPUB; USPAT	OR	OFF	2009/03/05 11:15

3/ 5/ 2009 1:46:14 PM
C:\ Documents and Settings\ belllott\ My Documents\ EAST\ Workspaces\ 10573675\ INTERFERENCE.wsp